



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

Cold Rolled Steel Products

Contents

Flats	2
Hexagons	5
Rounds	6
Sheets	7
Squares	7

 Email us at: sales@sspss.com



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Cold Finished Flats
1018 Low Carbon**

Stock length: 12 feet

Thickness	Width	Lbs/Ft
1/8	1/4	.106
1/8	3/8	.159
1/8	1/2	.213
1/8	5/8	.266
1/8	3/4	.319
1/8	7/8	.372
1/8	1	.425
1/8	1-1/4	.531
1/8	1-1/2	.638
1/8	1-3/4	.744
1/8	2	.850
1/8	2-1/2	1.063
1/8	3	1.275
1/8	3-1/2	1.488
1/8	4	1.700
1/8	5	2.125
1/8	6	2.550
3/16	1/4	.159
3/16	3/8	.239
3/16	1/2	.319
3/16	5/8	.398
3/16	3/4	.478
3/16	7/8	.558
3/16	1	.638
3/16	1-1/8	.717
3/16	1-1/4	.797
3/16	1-1/2	.956
3/16	1-3/4	1.116
3/16	1-7/8	1.195
3/16	2	1.275
3/16	2-1/4	1.434
3/16	2-1/2	1.594
3/16	3	1.913
3/16	3-1/2	2.231
3/16	4	2.550
3/16	5	3.188
3/16	6	3.825
3/16	8	5.100
3/16	10	6.375
1/4	5/16	.266
1/4	3/8	.319
1/4	7/16	.372
1/4	1/2	.425
1/4	5/8	.531
1/4	3/4	.638
1/4	7/8	.744
1/4	1	.850
1/4	1-1/8	.956
1/4	1-1/4	1.063
1/4	1-3/8	1.169

Continued →

Thickness	Width	Lbs/Ft
1/4	1-1/2	1.275
1/4	1-5/8	1.381
1/4	1-3/4	1.488
1/4	2	1.700
1/4	2-1/4	1.913
1/4	2-1/2	2.125
1/4	2-3/4	2.338
1/4	3	2.550
1/4	3-1/4	2.763
1/4	3-1/2	2.975
1/4	3-3/4	3.188
1/4	4	3.400
1/4	4-1/2	3.825
1/4	5	4.250
1/4	5-1/2	4.675
1/4	6	5.100
1/4	7	5.950
1/4	8	6.800
1/4	9	7.650
1/4	10	8.500
1/4	12	10.200
5/16	3/8	.398
5/16	7/16	.465
5/16	1/2	.531
5/16	9/16	.598
5/16	5/8	.664
5/16	3/4	.797
5/16	7/8	.930
5/16	1	1.063
5/16	1-1/8	1.195
5/16	1-1/4	1.328
5/16	1-3/8	1.461
5/16	1-1/2	1.594
5/16	1-3/4	1.859
5/16	2	2.125
5/16	2-1/4	2.391
5/16	2-1/2	2.656
5/16	3	3.188
5/16	3-1/2	3.719
5/16	4	4.250
5/16	4-1/2	4.781
5/16	5	5.313
5/16	6	6.375

Continued on next page →



ISO 9001 Certified



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Cold Finished Flats
1018 Low Carbon**

Stock length: 12 feet

Thickness	Width	Lbs/Ft
3/8	7/16	.558
3/8	1/2	.638
3/8	5/8	.797
3/8	3/4	.956
3/8	7/8	1.116
3/8	1	1.275
3/8	1-1/8	1.434
3/8	1-1/4	1.594
3/8	1-3/8	1.753
3/8	1-1/2	1.913
3/8	1-5/8	2.072
3/8	1-3/4	2.231
3/8	2	2.550
3/8	2-1/4	2.869
3/8	2-1/2	3.188
3/8	2-3/4	3.506
3/8	3	3.825
3/8	3-1/4	4.144
3/8	3-1/2	4.463
3/8	3-3/4	4.781
3/8	4	5.100
3/8	4-1/2	5.738
3/8	5	6.375
3/8	5-1/2	7.013
3/8	6	7.650
3/8	7	8.925
3/8	8	10.200
3/8	9	11.480
3/8	10	12.750
3/8	12	15.300
7/16	1/2	.744
7/16	3/4	1.116
7/16	1	1.488
7/16	1-1/4	1.859
7/16	1-1/2	2.231
7/16	2	2.975
7/16	2-1/2	3.719
7/16	4	5.950
1/2	9/16	.956
1/2	5/8	1.063
1/2	3/4	1.275
1/2	7/8	1.488
1/2	1	1.700
1/2	1-1/8	1.913
1/2	1-1/4	2.125
1/2	1-3/8	2.338
1/2	1-1/2	2.550
1/2	1-5/8	2.763
1/2	1-3/4	2.975
1/2	2	3.400
1/2	2-1/4	3.825

Continued →

Thickness	Width	Lbs/Ft
1/2	2-1/2	4.250
1/2	2-3/4	4.675
1/2	3	5.100
1/2	3-1/4	5.525
1/2	3-1/2	5.950
1/2	3-3/4	6.381
1/2	4	6.800
1/2	4-1/2	7.650
1/2	5	8.500
1/2	5-1/2	9.350
1/2	6	10.200
1/2	7	11.900
1/2	8	13.600
1/2	9	15.300
1/2	10	17.000
1/2	12	20.400
5/8	11/16	1.461
5/8	3/4	1.594
5/8	7/8	1.859
5/8	1	2.125
5/8	1-1/4	2.656
5/8	1-3/8	2.921
5/8	1-1/2	3.188
5/8	1-3/4	3.719
5/8	2	4.250
5/8	2-1/4	4.781
5/8	2-1/2	5.313
5/8	2-3/4	5.844
5/8	3	6.375
5/8	3-1/2	7.438
5/8	4	8.500
5/8	4-1/2	9.563
5/8	5	10.630
5/8	6	12.750
5/8	7	14.880
5/8	8	17.000
5/8	10	21.250
5/8	12	25.500
3/4	7/8	2.231
3/4	1	2.550
3/4	1-1/8	2.869
3/4	1-1/4	3.188
3/4	1-3/8	3.506
3/4	1-1/2	3.825
3/4	1-3/4	4.463
3/4	2	5.100

Continued on next page →





ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Cold Finished Flats
1018 Low Carbon**

Stock length: 12 feet

Thickness	Width	Lbs/Ft
3/4	2-1/4	5.738
3/4	2-1/2	6.375
3/4	2-3/4	7.013
3/4	3	7.650
3/4	3-1/4	8.288
3/4	3-1/2	8.925
3/4	4	10.200
3/4	4-1/2	11.480
3/4	5	12.750
3/4	5-1/2	14.030
3/4	6	15.300
3/4	7	17.850
3/4	8	20.400
3/4	9	22.950
3/4	10	25.500
3/4	11	28.050
3/4	12	30.600
7/8	1	2.975
7/8	1-1/8	3.347
7/8	1-1/4	3.719
7/8	1-3/8	4.091
7/8	1-1/2	4.463
7/8	1-3/4	5.206
7/8	2	5.950
7/8	2-1/2	7.438
7/8	2-3/4	8.181
7/8	3	8.925
7/8	3-1/2	10.410
7/8	4	11.900
7/8	5	14.880
7/8	6	17.850
7/8	8	23.800
1	1-1/8	3.825
1	1-1/4	4.250
1	1-3/8	4.675
1	1-1/2	5.100
1	1-5/8	5.525
1	1-3/4	5.950
1	2	6.800
1	2-1/4	7.650
1	2-1/2	8.500
1	2-3/4	9.350
1	3	10.200
1	3-1/2	11.900
1	4	13.600
1	4-1/2	15.300
1	5	17.000
1	5-1/2	18.700
1	6	20.400
1	7	23.800

Continued →

Thickness	Width	Lbs/Ft
1	8	27.200
1	9	30.600
1	10	34.000
1	12	40.800
1-1/8	1-1/4	4.781
1-1/8	2	7.650
1-1/8	2-1/2	9.563
1-1/8	3	11.480
1-1/8	4	15.300
1-1/4	1-3/8	5.844
1-1/4	1-1/2	6.375
1-1/4	1-5/8	6.906
1-1/4	1-3/4	7.438
1-1/4	2	8.500
1-1/4	2-1/4	9.563
1-1/4	2-1/2	10.630
1-1/4	2-3/4	11.690
1-1/4	3	12.750
1-1/4	3-1/4	13.810
1-1/4	3-1/2	14.880
1-1/4	4	17.000
1-1/4	4-1/2	19.130
1-1/4	5	21.250
1-1/4	5-1/2	23.380
1-1/4	6	25.500
1-1/4	8	34.000
1-1/4	10	42.500
1-1/4	12	51.000
1-3/8	2	9.350
1-3/8	3	14.030
1-1/2	1-3/4	8.925
1-1/2	2	10.200
1-1/2	2-1/4	11.480
1-1/2	2-1/2	12.750
1-1/2	2-3/4	14.030
1-1/2	3	15.300
1-1/2	3-1/2	17.850
1-1/2	4	20.400
1-1/2	4-1/2	22.950
1-1/2	5	25.500
1-1/2	5-1/2	28.050
1-1/2	6	30.600

Continued on next page →



Thousands of items in stock!



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Cold Finished Flats
1018 Low Carbon**

Stock length: 12 feet

Thickness	Width	Lbs/Ft
1-1/2	8	40.800
1-1/2	10	51.000
1-1/2	12	61.200
1-3/4	2	11.900
1-3/4	2-1/4	13.390
1-3/4	2-1/2	14.880
1-3/4	2-3/4	16.360
1-3/4	3	17.850
1-3/4	3-1/2	20.830
1-3/4	4	23.800
1-3/4	4-1/2	26.780
1-3/4	5	29.750
1-3/4	6	35.700
2	2-1/4	15.300
2	2-1/2	17.000
2	2-3/4	18.700
2	3	20.400
2	3-1/2	23.800
2	4	27.200
2	4-1/2	30.600
2	5	34.000
2	6	40.800
2	6-1/2	44.200
2	7	47.600
2	8	54.400
2	10	68.000
2	12	81.600
2-1/4	2-1/2	19.130
2-1/4	2-3/4	21.040
2-1/4	3	22.950
2-1/4	3-1/2	26.780
2-1/4	4	30.600
2-1/4	5	38.250
2-1/4	6	45.900
2-1/2	3	25.500
2-1/2	3-1/2	29.750
2-1/2	4	34.000
2-1/2	4-1/2	38.250
2-1/2	5	42.500
2-1/2	6	51.000
2-1/2	8	68.000
2-1/2	10	85.000
3	3-1/2	35.700
3	4	40.800
3	5	51.000
3	6	61.200
3	8	81.600
3	10	102.000

**Hard to find shapes, sizes or grades?
Call us this is our specialty!**



**Cold Drawn Hexagons
Grades 1018, 1144, and 12L14**

Stock length: 12 feet

Size in inches	Lbs/Ft	1018	1144	12L14
1/4	.184	X		X
5/16	.288			X
3/8	.414	X		X
7/16	.564	X		X
1/2	.736	X	X	X
9/16	.932	X	X	X
5/8	1.150	X	X	X
11/16	1.392	X	X	X
3/4	1.656	X	X	X
13/16	1.944	X	X	X
7/8	2.254	X	X	X
15/16	2.588	X	X	X
1	2.945	X	X	X
1-1/16	3.324	X		X
1-1/8	3.727	X	X	X
1-3/16	4.152			
1-1/4	4.601	X	X	X
1-5/16	5.072	X	X	X
1-3/8	5.567	X	X	X
1-7/16	6.085			X
1-1/2	6.625	X	X	X
1-9/16	7.189			
1-5/8	7.775	X		X
1-11/16	8.385	X	X	X
1-3/4	9.018	X	X	X
1-13/16	9.673			X
1-7/8	10.350	X		X
2	11.780	X	X	X
2-1/8	13.300			X
2-3/16	14.090			
2-1/4	14.910	X		X
2-3/8	16.610	X		X
2-1/2	18.400	X		X
2-5/8	20.300	X		X
2-3/4	22.270	X		X
2-7/8	24.340			
3	26.500	X		X
3-1/4	31.100			X
3-1/2	36.080	X		X
3-3/4	41.410	X		
4	47.120	X		X



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

Cold Finished Rounds
Grades 1018, 1045, 1144, 12L14

Zinc Plated also available.

Stock lengths: 12 and 20 feet

Size in inches	Lbs/Ft	1018	1045	1144	12L14
1/8	.042	X			X
3/16	.094	X	X		X
1/4	.167	X	X	X	X
5/16	.261	X	X		X
3/8	.376	X	X	X	X
7/16	.511	X	X	X	X
1/2	.668	X	X	X	X
9/16	.845	X	X	X	X
5/8	1.043	X	X	X	X
11/16	1.262	X	X		X
3/4	1.502	X	X	X	X
13/16	1.763	X	X	X	X
7/8	2.045	X	X	X	X
15/16	2.347	X	X	X	X
1	2.670	X	X	X	X
1-1/16	3.015	X	X		X
1-1/8	3.380	X	X	X	X
1-3/16	3.766	X	X	X	X
1-1/4	4.172	X	X	X	X
1-5/16	4.600	X	X		X
1-3/8	5.049	X	X	X	X
1-7/16	5.518	X	X	X	X
1-1/2	6.008	X	X	X	X
1-9/16	6.519	X	X		X
1-5/8	7.051	X	X	X	X
1-11/16	7.604	X	X		X
1-3/4	8.178	X	X	X	X
1-13/16	8.773	X	X		X
1-7/8	9.388	X	X	X	X
1-15/16	10.020	X	X		X
2	10.680	X	X	X	X
2-1/16	11.360	X			X
2-1/8	12.060	X	X	X	X
2-3/16	12.780	X	X		X
2-1/4	13.520	X	X	X	X
2-5/16	14.280	X			X
2-3/8	15.060	X	X	X	X
2-7/16	15.870	X	X		X
2-1/2	16.690	X	X	X	X
2-9/16	17.530	X			X
2-5/8	18.400	X	X	X	X
2-11/16	19.290	X	X		X
2-3/4	20.190	X	X	X	X
2-13/16	21.120				X
2-7/8	22.070	X	X	X	X
2-15/16	23.040	X	X		X

Continued →

Size in inches	Lbs/Ft	1018	1045	1144	12L14
3	24.030	X	X	X	X
3-1/16	25.050				X
3-1/8	26.080	X	X	X	X
3-3/16	27.130	X			
3-1/4	28.210	X	X	X	X
3-5/16	29.300				X
3-3/8	30.420	X	X	X	X
3-7/16	31.550	X	X		X
3-1/2	32.710	X	X	X	X
3-5/8	35.090	X	X	X	X
3-11/16	36.310		X		
3-3/4	37.550	X	X	X	X
3-7/8	40.010	X			
3-15/16	41.400	X	X		
4	42.730	X	X	X	X
4-1/8	45.440	X			
4-1/4	48.230	X	X	X	X
4-3/8	51.110	X	X		
4-7/16	52.580	X	X		
4-1/2	54.080	X	X	X	X
4-5/8	57.120	X			X
4-3/4	60.250	X	X	X	X
4-7/8	63.460	X			
4-15/16	65.100	X	X		
5	66.760	X	X	X	X
5-1/8	70.140	X			
5-1/4	73.600	X	X		X
5-7/16	78.950		X		
5-1/2	80.780	X	X		X
5-5/8	84.490	X			
5-3/4	88.290	X	X		
5-7/8	92.170	X			
5-15/16	94.140	X	X		
6	96.130	X	X		X
6-1/4	104.300	X			
6-1/2	112.800	X	X		X
6-3/4	121.700	X			



A variety of processing services available.



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

Cold Rolled Sheets

Gauge	Width in inches	Stock lengths	Lbs/Sq Ft
10 GA (.1345")	36	96, 120	5.625
10 GA (.1345")	48	96, 120	5.625
10 GA (.1345")	60	120	5.625
11 GA (.1196")	36	96, 120, 144	5.000
11 GA (.1196")	48	96, 120, 144	5.000
11 GA (.1196")	60	96, 120	5.000
12 GA (.1046")	36	96, 120	4.375
12 GA (.1046")	48	96, 120, 144	4.375
12 GA (.1046")	60	120, 144	4.375
12 GA (.1046")	72	144	4.375
13 GA (.0987")	36	96, 120	3.750
13 GA (.0987")	48	96, 120, 144	3.750
13 GA (.0987")	60	120	3.750
14 GA (.0747")	36	96, 120, 144	3.125
14 GA (.0747")	48	96, 120, 144	3.125
14 GA (.0747")	60	96, 120, 144	3.125
14 GA (.0747")	72	120, 144	3.125
16 GA (.0598")	36	96, 120	2.500
16 GA (.0598")	48	96, 120, 144	2.500
16 GA (.0598")	60	96, 120, 144	2.500
16 GA (.0598")	72	120, 144	2.500
18 GA (.0478")	36	96, 120, 144	2.000
18 GA (.0478")	48	96, 120, 144	2.000
18 GA (.0478")	60	96, 120, 144	2.000
19 GA (.0418")	48	96, 120	1.750
20 GA (.0359")	36	96, 120, 144	1.500
20 GA (.0359")	48	96, 120, 144	1.500
20 GA (.0359")	60	120, 144	1.500
22 GA (.0299")	36	96, 120	1.250
22 GA (.0299")	48	96, 120	1.250
24 GA (.0239")	36	96, 120	1.000
24 GA (.0239")	48	96, 120	1.000
26 GA (.0179")	48	120	.750

Cold Drawn Squares
Grades 1018, 1045, and 12L14

Stock length: 12 feet

Size in inches	Lbs/Ft	1018	1045	12L14
1/8	.053	X		X
3/16	.120	X		X
1/4	.213	X		X
5/16	.332	X		X
3/8	.478	X		X
7/16	.651	X		X
1/2	.850	X	X	X
9/16	1.076	X		X
5/8	1.328	X	X	X
11/16	1.607	X		X
3/4	1.913	X	X	X
7/8	2.603	X	X	X
15/16	2.988			X
1	3.400	X	X	X
1-1/8	4.303	X	X	X
1-1/4	5.313	X	X	X
1-3/8	6.428	X		X
1-1/2	7.650	X	X	X
1-5/8	8.978	X		X
1-3/4	10.410	X		X
1-7/8	11.950	X		
2	13.600	X	X	X
2-1/8	15.350	X		
2-1/4	17.210	X		X
2-3/8	19.200	X		
2-1/2	21.250	X		X
2-3/4	25.710	X		X
3	30.600	X		
3-1/4	35.910	X		
3-1/2	41.650	X		
3-3/4	47.810	X		
4	54.400	X		
4-1/2	68.850	X		
5	85.000	X		
5-1/2	102.900	X		
6	122.400	X		



Steel and alloy products in all grades, shapes and sizes.