



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

## Stainless Steel Products

### Contents

Angles	2
Channels	3
Expanded Metal	3
Flats	3
Ladder Rung	4
Pipe	5
Plate	6
Rounds	6
Sheets	7
Squares	8
Threaded Rods	8
Round Tubing	8
Square Tubing	9
Rectangular Tubing	9

 Email us at: [sales@sspss.com](mailto:sales@sspss.com)



ISO 9001 Certified


Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Stainless Steel Angles**

304, 304L, 316 and 316L



Stock lengths: 20-24 feet random

Leg (A)	Leg (B)	Thickness (C)	Lbs/Ft	304	304L	316	316L
3/4	3/4	1/8	.590	X			
1	1	1/8	.800	X	X		X
1	1	3/16	1.160	X			X
1	1	1/4	1.490	X			
1-1/4	1-1/4	1/8	1.010	X			X
1-1/4	1-1/4	3/16	1.480	X			
1-1/4	1-1/4	1/4	1.920	X			
1-1/2	1-1/2	1/8	1.230	X	X		X
1-1/2	1-1/2	3/16	1.800	X	X	X	X
1-1/2	1-1/2	1/4	2.340	X	X		X
2	2	1/8	1.650	X			
2	2	3/16	2.440	X	X	X	X
2	2	1/4	3.190	X	X		X
2	2	3/8	4.700	X	X		
2-1/2	2-1/2	3/16	3.070	X			
2-1/2	2-1/2	1/4	4.100	X		X	X
2-1/2	2-1/2	3/8	5.900	X			
3	1-1/2	1/4	3.510	X			
3	2	3/16	3.070	X			
3	2	1/4	4.100	X			
3	3	1/4	4.900	X	X		X
3	3	5/16	6.100	X			
3	3	3/8	7.200	X	X		X
3-1/2	3-1/2	1/4	5.800	X			
4	3	1/4	5.800	X			
4	3	3/8	8.500	X			
4	4	1/4	6.600	X			X
4	4	3/8	9.800	X			
5	3	3/8	9.850	X			
5	5	3/8	12.300	X			
6	3	3/8	11.020	X			
6	4	1/4	9.210	X			
6	4	3/8	12.300	X			
6	6	3/8	14.900	X			



ISO 9001 Certified




ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Stainless Steel Channels**



Stock lengths: 20-24 feet random

Depth in inches (A)	Flange Width (B)	Flange Thickness (C)	Lbs/Ft
1-1/2	3/4	1/8	1.200
2	1	1/8	1.530
2	1	1/4	3.150
3	1-3/8	3/16	4.190
3	1-1/2	1/4	4.750
4	1-3/4	1/4	6.690
5	1-7/8	3/8	10.430
6	1.9	.343	8.300
8	2.530	.390	18.800

**Stainless Expanded Metal**



* Style designation	Width in inches	Length in inches	Lbs/Sq Ft
1/2 x 13	48	96	1.780
1/2 x 16	48	96	.860
1/2 x 18	48	96	.690
3/4 x 9	48	96	1.950
3/4 x 13	48	96	.860
3/4 x 16	48	96	.570
3/4 x 18	48	96	.460
1-1/2 x 9	48	96	1.310
1-1/2 x 13	48	96	.650
1-1/2 x 16	48	96	.430

\* The first number represents the nominal width, short way of the diamond, from center to center of bonds. The second number represents the approximate gauge of the sheet before expanding. The long way of the diamond runs parallel to the length of the sheet.

Sheets of special size can be furnished to meet your requirements.

**Stainless Steel Flats  
304 and 316**

Stock lengths: 12-16 feet random

Thickness	Width	Lbs/Ft	304	316
1/8	1/2	.213	X	
1/8	3/4	.319	X	
1/8	1	.425	X	X
1/8	1-1/4	.531	X	X
1/8	1-1/2	.638	X	X
1/8	1-3/4	.744	X	
1/8	2	.850	X	X
1/8	2-1/2	1.063	X	
1/8	3	1.275	X	
1/8	4	1.700	X	
3/16	1/2	.319	X	
3/16	5/8	.398	X	
3/16	3/4	.478	X	
3/16	1	.638	X	X
3/16	1-1/4	.797	X	
3/16	1-1/2	.956	X	X
3/16	1-3/4	1.116	X	
3/16	2	1.275	X	X
3/16	2-1/2	1.594	X	
3/16	3	1.913	X	
3/16	4	2.550	X	
3/16	6	3.825	X	
1/4	1/2	.425	X	
1/4	5/8	.531	X	
1/4	3/4	.638	X	
1/4	1	.850	X	X
1/4	1-1/4	1.063	X	X
1/4	1-1/2	1.275	X	X
1/4	1-3/4	1.488	X	X
1/4	2	1.700	X	X
1/4	2-1/2	2.125	X	X
1/4	3	2.550	X	X
1/4	3-1/2	2.967	X	
1/4	4	3.400	X	X
1/4	5	4.250	X	
1/4	6	5.100	X	
5/16	1	1.060	X	

Continued on next page →



ISO 9001 Certified



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Stainless Steel Flats  
304 and 316**

Stock lengths: 12-16 feet random

Thickness	Width	Lbs/Ft	304	316
3/8	1/2	.638	X	
3/8	3/4	.956	X	
3/8	1	1.275	X	
3/8	1-1/4	1.594	X	
3/8	1-1/2	1.913	X	
3/8	2	2.550	X	X
3/8	2-1/2	3.188	X	
3/8	3	3.825	X	X
3/8	4	5.100	X	X
3/8	5	6.380	X	
3/8	6	7.650	X	
1/2	3/4	1.275	X	
1/2	1	1.700	X	
1/2	1-1/4	2.125	X	
1/2	1-1/2	2.550	X	
1/2	2	3.400	X	X
1/2	2-1/2	4.250	X	X
1/2	3	5.100	X	X
1/2	4	6.800	X	X
1/2	6	10.200	X	X
1/2	7	11.900	X	
5/8	3/4	1.594	X	
5/8	1	2.125	X	
5/8	1-1/4	2.656	X	
5/8	1-1/2	3.188	X	X
5/8	1-3/4	3.719	X	
5/8	2	4.250	X	
5/8	2-1/2	5.313	X	
5/8	3	6.375	X	
5/8	3-1/2	7.438	X	
5/8	4	8.500	X	
5/8	5	10.630	X	
5/8	6	12.750	X	
3/4	1	2.550	X	X
3/4	1-1/4	3.188	X	
3/4	1-1/2	3.830	X	X
3/4	1-3/4	4.463	X	
3/4	2	5.100	X	X
3/4	2-1/4	5.738	X	
3/4	2-1/2	6.375	X	X
3/4	3	7.650	X	X
3/4	3-1/2	8.925	X	
3/4	4	10.200	X	X
3/4	5	12.750	X	
3/4	6	15.300	X	
1	1-1/4	4.250	X	X
1	1-1/2	5.100	X	X
1	1-3/4	5.950	X	
1	2	6.800	X	X

Continued →

Thickness	Width	Lbs/Ft	304	316
1	2-1/4	7.650	X	
1	2-1/2	8.500	X	X
1	3	10.200	X	X
1	3-1/2	11.900	X	
1	4	13.600	X	X
1	5	17.000	X	
1	6	20.400	X	
1-1/4	2	8.500	X	
1-1/4	2-1/2	10.630	X	
1-1/4	3	12.750	X	X
1-1/4	4	17.000	X	
1-1/2	2	10.200	X	X
1-1/2	2-1/2	12.750	X	X
1-1/2	3	15.300	X	
1-1/2	4	20.400	X	
1-1/2	6	30.600	X	
1-3/4	2	11.900	X	
2	2-1/2	17.000	X	
2	3	20.400	X	
2	4	27.200	X	

**Stainless Steel Ladder Rung  
Type 304 stainless steel**

Type	Width in inches	Height in inches	Stock lengths	Lbs/Ft
2-Hole (13 GA)	1-1/4	1-1/2	48-3/4, 60	1.200
3-Hole (13 GA)	1-5/8	1-1/8	48-3/4, 60	1.300
4-Hole (13 GA)	2-1/4	1-1/2	48-3/4, 60	1.500



Same day will call and next day delivery available on any item in stock!



ISO 9001 Certified

Phone: (651) 451-6666  
 1-800-456-7777  
 Fax: (651) 451-5929

**Stainless Steel Pipe**

**304 and 316 welded pipe**

**Schedule 5**

Pipe Size	O.D. in inches	Wall thickness	Lbs/Ft	304	316
1/2	.840	.065	.540	X	
3/4	1.050	.065	.690	X	
1	1.315	.065	.880	X	
1-1/4	1.660	.065	1.120	X	
1-1/2	1.900	.065	1.274	X	
2	2.375	.065	1.620	X	
3	3.500	.083	3.060	X	

**Schedule 10**

Pipe Size	O.D. in inches	Wall thickness	Lbs/Ft	304	316
1	1.315	.109	1.420	X	
1-1/2	1.900	.109	2.100	X	
2	2.375	.109	2.600	X	
3	3.500	.120	4.370	X	
3-1/2	4.000	.120	4.973	X	
4	4.500	.120	5.670	X	
5	5.563	.134	7.840	X	
6	6.625	.134	9.380	X	
8	8.625	.148	13.400	X	
10	10.750	.165	18.650	X	
12	12.750	.180	24.160	X	

**Schedule 40**

Pipe Size	O.D. in inches	Wall thickness	Lbs/Ft	304	316
1/8	.405	.068	.245	X	
1/4	.540	.088	.425	X	
3/8	.675	.091	.568	X	X
1/2	.840	.109	.851	X	X
3/4	1.050	.113	1.131	X	X
1	1.315	.133	1.679	X	X
1-1/4	1.660	.140	2.273	X	X
1-1/2	1.900	.145	2.718	X	X
2	2.375	.154	3.653	X	X
2-1/2	2.875	.203	5.793	X	
3	3.500	.216	7.576	X	
3-1/2	4.000	.226	9.109	X	
4	4.500	.237	10.890	X	
5	5.563	.258	14.750	X	
6	6.625	.280	19.150	X	
8	8.625	.322	28.820	X	
10	10.750	.365	40.860	X	
12	12.750	.375	50.030	X	

Continued →

**Schedule 80**

Pipe Size	O.D. in inches	Wall thickness	Lbs/Ft	304	316
1/8	.405	.095	.320	X	
1/4	.540	.119	.540	X	
3/8	.675	.126	.750	X	
1/2	.840	.147	1.100	X	
3/4	1.050	.154	1.490	X	
1	1.315	.179	2.190	X	
1-1/4	1.660	.191	3.030	X	
1-1/2	1.900	.200	3.670	X	
2	2.375	.218	5.070	X	
2-1/2	2.875	.276	7.660	X	

**304 and 316 Seamless Pipe**

**Schedule 40**

Pipe Size	O.D. in inches	Wall thickness	Lbs/Ft	304	316
1/4	.540	.088	.425	X	X
3/8	.675	.091	.568	X	
1/2	.840	.109	.851	X	X
3/4	1.050	.113	1.131	X	X
1	1.315	.133	1.679	X	X
1-1/4	1.660	.140	2.273	X	X
1-1/2	1.990	.145	2.718	X	X
2	2.375	.154	3.653	X	
2-1/2	2.875	.203	5.793	X	
3	3.500	.216	7.576	X	X
3-1/2	4.000	.226	9.109	X	
4	4.500	.237	10.790	X	X

**Schedule 80**

Pipe Size	O.D. in inches	Wall Thickness	Lbs/Ft	304	316
1/2	.840	.147	1.088	X	
3/4	1.050	.154	1.474	X	
1	1.315	.179	2.172	X	
1-1/4	1.660	.191	2.997	X	
1-1/2	1.900	.200	3.631	X	
2	2.375	.218	5.022	X	
3	3.500	.300	10.250	X	
4	4.500	.337	14.980	X	





ISO 9001 Certified

Phone: (651) 451-6666  
 1-800-456-7777  
 Fax: (651) 451-5929

**Stainless Steel Plate**

304, 304L, 316, and 316L

Thickness in inches	Widths	Lengths	Lbs/Sq Ft
3/16	36, 48, 60, 72, 96	96, 120, 144	8.579
1/4	36, 48, 60, 72, 96	96, 120, 144	11.160
5/16	48, 60, 72, 96	96, 120, 144	13.750
3/8	48, 60, 72, 96	96, 120, 144	16.500
7/16	48, 72, 96	96, 120, 144	19.080
1/2	48, 60, 72, 84, 96	96, 120, 144	21.660
9/16	48, 72, 96	96, 120, 144	24.250
5/8	48, 60, 72, 96	96, 120, 144	26.830
3/4	48, 72, 96	96, 120, 144	32.120
7/8	48, 72, 96	96, 120, 144	37.290
1	48, 72, 96	96, 120, 144	42.670

**Stainless Steel Floor Plate**

304

Thickness in inches	Widths	Lengths	Lbs/Sq Ft
1/8	36	96, 120	6.150
3/16	36, 48	96, 120	8.700
1/4	48	96, 120	11.250



A STATE OF THE ART Steel Service Center

**Stainless Steel Rounds**

304, 304L, 316, 316L

Stock lengths: 10 to 20 feet random

Size in inches	Lbs/Ft	304	304L	316	316L
1/8	.042	X		X	
3/16	.094	X		X	
1/4	.167	X		X	
5/16	.261	X		X	
3/8	.376	X	X	X	X
7/16	.511	X		X	
1/2	.668	X	X	X	X
9/16	.845	X			
5/8	1.043	X	X	X	X
11/16	1.262	X			
3/4	1.502	X	X	X	X
13/16	1.763			X	X
7/8	2.045	X		X	
15/16	2.347	X		X	
1	2.670	X	X	X	X
1-1/16	3.015	X		X	
1-1/8	3.380	X		X	
1-3/16	3.766	X		X	
1-1/4	4.172	X	X	X	X
1-5/16	4.600	X		X	
1-3/8	5.049	X	X	X	X
1-7/16	5.518	X			
1-1/2	6.008	X	X	X	X
1-9/16	6.519	X		X	
1-5/8	7.051	X	X	X	X
1-11/16	7.604	X		X	
1-3/4	8.178	X	X	X	X
1-13/16	8.770	X			
1-7/8	9.388	X	X	X	X
1-15/16	10.020	X		X	
2	10.680	X	X	X	X
2-1/8	12.060	X	X	X	X
2-3/16	12.790	X		X	
2-1/4	13.520	X	X	X	X
2-3/8	15.060	X		X	X
2-7/16	15.870	X		X	
2-1/2	16.690	X	X	X	X
2-9/16	17.540	X			
2-5/8	18.400	X		X	X
2-3/4	20.190	X	X	X	X
2-7/8	22.070	X		X	
3	24.030	X	X	X	X
3-1/8	26.080	X		X	
3-1/4	28.210	X	X	X	X
3-3/8	30.420	X		X	X

Continued on next page →



ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Stainless Steel Rounds**

**304, 304L, 316, 316L**

Stock lengths: 10 to 20 feet random

Size in inches	Lbs/Ft	304	304L	316	316L
3-1/2	32.710	X	X	X	X
3-5/8	35.090	X		X	
3-3/4	37.550	X		X	X
3-7/8	40.100	X			
4	42.730	X	X	X	
4-3/8	51.110	X			
5	66.760	X		X	
6	96.130	X			


**Stainless Steel Sheets**

**304, 304L, 316, 316L**

Gauge	Width in inches	Stock lengths	Lbs/Sq Ft
7 GA (.1874")	36	120	7.871
7 GA (.1874")	48	120, 144	7.871
7 GA (.1874")	60	120	7.871
8 GA (.1650")	36	120	6.930
8 GA (.1650")	48	120, 144	6.930
8 GA (.1650")	60	120	6.930
10 GA (.1350")	36	120, 144	5.670
10 GA (.1350")	48	120, 144	5.670
10 GA (.1350")	60	120, 144	5.670
10 GA (.1350")	72	144	5.670
11 GA (.1200")	36	96, 120	5.040
11 GA (.1200")	48	96, 120	5.040
11 GA (.1200")	60	96, 120, 144	5.040
11 GA (.1200")	72	144	5.040

Continued →

Gauge	Width in inches	Stock lengths	Lbs/Sq Ft
12 GA (.1054")	36	96, 120, 144	4.427
12 GA (.1054")	48	96, 120, 144	4.427
12 GA (.1054")	60	120, 144	4.427
12 GA (.1054")	72	144	4.427
14 GA (.0751")	36	96, 120	3.154
14 GA (.0751")	48	96, 120	3.154
14 GA (.0751")	60	120, 144	3.154
16 GA (.0595")	36	96, 120, 144	2.499
16 GA (.0595")	48	96, 120	2.499
16 GA (.0595")	60	120, 144	2.499
18 GA (.0480")	36	96, 120	2.016
18 GA (.0480")	48	96, 120	2.016
20 GA (.0355")	36	96, 120	1.491
20 GA (.0355")	48	120	1.491
22 GA (.0293")	36	96, 120	1.231
22 GA (.0293")	48	120	1.231
24 GA (.0235")	36	96, 120	.987
24 GA (.0235")	48	96, 120	.987
26 GA (.0178")	36	96, 120	.748





ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Stainless Steel Squares**

303, 304, 316 and 316L

Stock lengths: 11 to 14 feet random

Size in inches	Lbs/Ft	303	304	316	316L
1/8	.053	X			
3/16	.120	X	X	X	X
1/4	.213	X	X	X	X
5/16	.332	X	X	X	X
3/8	.478	X	X	X	X
7/16	.651	X		X	X
1/2	.850	X	X	X	X
9/16	1.076	X			
5/8	1.328	X	X	X	X
3/4	1.913	X	X	X	X
7/8	2.603	X	X	X	X
1	3.400	X	X	X	X
1-1/8	4.303			X	X
1-1/4	5.313	X	X	X	X
1-1/2	7.650	X	X	X	X
1-3/4	10.410	X		X	X
2	13.600	X	X	X	X



ISO 9001 Certified

**Stainless Steel Threaded Rods**

Type 304

Stock lengths: 6 and 12 feet

Size	Lbs/Ft
3/8-16	.375
7/16-14	.400
1/2-13	.668
3/4-10	1.250
1-8	2.250

Need help with that hard to find item?

Call us this is our specialty!

**Stainless Steel Tubing (Round)**

Type 304

Stock lengths: 17 to 24 feet random

O.D. in inches	Wall gauge	Wall decimal	Lbs/Ft	Welded 304	Seamless 304
1/8	22	.028	.029	X	
1/8	20	.035	.034	X	
3/16	22	.028	.048	X	
3/16	20	.035	.057	X	
1/4	22	.028	.066	X	
1/4	20	.035	.080	X	X
1/4	18	.049	.105	X	X
1/4	16	.065	.128	X	X
5/16	22	.028	.085	X	
5/16	20	.035	.104	X	
5/16	18	.049	.138	X	
5/16	16	.065	.172	X	X
3/8	22	.028	.104	X	
3/8	20	.035	.127	X	X
3/8	18	.049	.171	X	
3/8	16	.065	.215	X	X
7/16	20	.035	.151	X	
7/16	18	.049	.204	X	
7/16	16	.065	.259	X	
1/2	22	.028	.141	X	
1/2	20	.035	.174	X	X
1/2	18	.049	.236	X	X
1/2	16	.065	.302	X	X
1/2	13	.095	.411	X	X
5/8	22	.028	.179	X	
5/8	20	.035	.221	X	
5/8	18	.049	.301	X	X
5/8	16	.065	.389	X	X
5/8	14	.083	.481	X	
5/8	11	.120	.647	X	X
3/4	20	.035	.267	X	X
3/4	18	.049	.367	X	
3/4	16	.065	.476	X	X
3/4	13	.095	.665	X	X
3/4	11	.120	.807	X	
7/8	20	.035	.267	X	
7/8	18	.049	.432	X	
7/8	16	.065	.562	X	
7/8	11	.120	.968	X	X
1	20	.035	.361	X	X
1	18	.049	.498	X	X
1	16	.065	.649	X	X
1	14	.083	.813	X	X
1	13	.095	.918	X	
1	11	.120	1.128	X	X

Continued on next page →





ISO 9001 Certified

Phone: (651) 451-6666

1-800-456-7777

Fax: (651) 451-5929

**Stainless Steel Tubing (Round)**

**Type 304**

Stock lengths: 17 to 24 feet random

O.D. in inches	Wall gauge	Wall decimal	Lbs/Ft	Welded 304	Seamless 304
1	3/16	.188	1.630	X	
1	1/4	.250	2.003		X
1-1/4	20	.035	.454	X	
1-1/4	18	.049	.629	X	
1-1/4	16	.065	.823	X	X
1-1/4	14	.083	1.034	X	
1-1/4	11	.120	1.448	X	X
1-1/4	3/16	.188	2.132		X
1-1/4	1/4	.250	2.670		X
1-1/2	20	.035	.548	X	
1-1/2	18	.049	.759	X	
1-1/2	16	.065	.996	X	X
1-1/2	14	.083	1.256	X	
1-1/2	11	.120	1.769	X	X
1-1/2	3/16	.188	2.634	X	
1-1/2	1/4	.250	3.338		X
1-3/4	20	.035	.641	X	
1-3/4	18	.049	.890	X	
1-3/4	16	.065	1.170	X	
1-3/4	11	.120	2.089	X	X
1-3/4	3/16	.188	3.136	X	
1-7/8	13	.095	1.806	X	
2	20	.035	.733	X	
2	18	.049	1.021	X	
2	16	.065	1.343	X	X
2	14	.083	1.699	X	
2	11	.120	2.409	X	X
2	3/16	.188	3.638	X	X
2	1/4	.250	4.673		X
2-1/4	16	.065	1.517	X	
2-1/4	3/16	.188	4.140		X
2-1/4	1/4	.250	5.340		X
2-1/2	18	.049	1.283	X	
2-1/2	16	.065	1.690	X	
2-1/2	14	.083	2.143	X	
2-1/2	11	.120	3.050	X	X
2-1/2	1/4	.250	6.008		X
2-3/4	11	.120	3.371	X	
3	16	.065	2.037	X	
3	14	.083	2.586	X	
3	12	.109	3.365	X	
3	11	.120	3.691	X	X
3	3/16	.188	5.646		X
3	1/4	.250	7.343		X
3-1/4	11	.120	4.011	X	
3-1/2	16	.065	2.385	X	
3-1/2	11	.120	4.332	X	
4	16	.065	2.732	X	
4	14	.083	3.472	X	
4	11	.120	4.973	X	
5	11	.120	6.254	X	
6	11	.120	7.536	X	

**Stainless Steel Tubing (Square)**

**Type 304**

Stock lengths: 17 to 24 feet random

Size in inches	Wall gauge	Wall decimal	Lbs/Ft
1 x 1	18	.049	.630
1 x 1	16	.065	.827
1 x 1	11	.120	1.436
1-1/4 x 1-1/4	16	.065	1.050
1-1/4 x 1-1/4	14	.083	1.317
1-1/4 x 1-1/4	11	.120	1.844
1-1/2 x 1-1/2	16	.065	1.270
1-1/2 x 1-1/2	14	.083	1.610
1-1/2 x 1-1/2	11	.120	2.255
1-1/2 x 1-1/2	3/16	.188	3.630
1-3/4 x 1-3/4	14	.083	1.880
2 x 2	16	.065	1.710
2 x 2	14	.083	2.164
2 x 2	11	.120	3.068
2 x 2	3/16	.188	4.460
2 x 2	1/4	.250	6.010
2-1/2 x 2-1/2	3/16	.188	5.680
3 x 3	14	.083	3.293
3 x 3	11	.120	4.700
3 x 3	3/16	.188	6.903
3 x 3	1/4	.250	10.000
4 x 4	11	.120	6.260
4 x 4	3/16	.188	9.270
4 x 4	1/4	.250	12.680
6 x 6	1/4	.250	18.770
8 x 8	3/8	.375	38.890

**Stainless Steel Tubing (Rectangular)**

**304**

Size in inches	Wall gauge	Wall decimal	Lbs/Ft
1 x 1-1/2	11	.120	1.929
1 x 2	16	.065	1.270
1 x 2	11	.120	2.252
2 x 3	11	.120	3.884
2 x 3	3/16	.188	5.679
2 x 4	11	.120	4.700
2 x 4	3/16	.188	6.903
2 x 4	1/4	.250	10.000
2 x 6	3/16	.188	9.270
2 x 6	1/4	.250	12.680
3 x 4	3/16	.188	8.127
3 x 4	1/4	.250	10.890
3 x 5	3/16	.188	9.270
3 x 5	1/4	.250	12.680
3 x 6	3/16	.188	10.520
4 x 6	3/16	.188	11.900
4 x 6	1/4	.250	16.350
4 x 8	1/4	.250	18.770
4 x 8	3/8	.375	28.690